



INDIANAPOLIS, INDIANA CATALOG (47)

Date: **04/23/2009**

Time : **9:30 AM**

License:

Location :

Site :

Lot

+

Address: **5557 US Rt. 27 N.**

Phone : **(863) 325-5949**

City State : RICHMOND IN 47374

Fax :

04/21/2009

Lot Number	Description	Lot Number	Description
100A	CHEVY 2500 PICKUP TRUCK <u>229333</u> powered by gas engine equipped with powersteering.	109	2004 FORD F650XL SUPER DUTY SERVICE TRUCK <u>693551</u> powered by Cummins diesel, equipped with automatic transmission, single axle, dual tired chassis, Autocrane service body, top mounted hydraulically operated air compressor, rear mounted Model 10006H extendable crane, rear hydraulic outriggers, rear work p
100		110	2001 FORD F550 SERVICE TRUCK <u>A45146</u> 4x4, powered by Power stroke 7.3 liter diesel, equipped with automatic transmission, mechanics body, single axle, dual tired chassis.
101	2000 CHEVY 1500 PICKUP TRUCK <u>378230</u> Silverado Z71 series, LS arrangement, powered by gas engine, equipped with automatic transmission, extended 4-door cab, bedliner, rear tow hitch, LT265/75R16 tires, power locks and windows, cd player, 6,400lb. GVWR.	111	1990 FORD F600 SERVICE TRUCK <u>vn ?</u> powered by gas engine, equipped with 5 speed transmission with 2 speed rear axle, single axle, dual tired chassis, custom built service body designed for welding setup, 9.00x20 tires, rear tow hitch.
102	2000 CHEVY 1500 PICKUP TRUCK <u>170709</u> Silverado Z71 Series, LS arrangement, gas powered, equipped with automatic transmission, power locks and windows, leather interior, 4-door cab, rear tow hitch, P265/70R16 tires.	112	
103	2000 CHEVY 1500 PICKUP TRUCK <u>220433</u> Silverado Z71 Series, LS arrangement, powered by gas engine, equipped with automatic transmission, power locks and windows, bedliner, rear tow hitch, LT245/75R16 tires, 6,400lb. GVWR.	113	
104	1994 CHEVY 2500 PICKUP TRUCK <u>135061</u> 4x4, Silverado Series, powered by gas engine, equipped with automatic transmission, extended cab, bedliner, rear tow hitch, LT265/75R16 tires.	114	2002 UPRIGHT SB60 BOOM LIFT <u>1445</u> powered by diesel engine, equipped with 60ft. Platform height, straight boom, 500lb lift capacity.
105	CHEVY 1500 PICKUP TRUCK <u>105650</u> Silverado Z71 Series, arrangement, powered by gas engine, equipped with automatic transmission, power locks and windows, leather interior, 4-door cab, bedliner, rear tow hitch, LT265/75R16 tires.	115	TEREX TB60 BOOM LIFT <u>98630012</u> 4x4, powered by diesel engine, equipped with 60ft. Platform height, straight boom, 500lb lift capacity.
106	1994 FORD F250XLT PICKUP TRUCK <u>A50747</u> 4x4, powered gas engine, equipped with automatic transmission with overdrive, standard cab, 8ft. bed, aluminum diamond plated running boards, rear tow hitch, 8,600lb. GVWR, 133in. wheelbase, LT235/85R16 tires.	116	GENIE Z45/25 BOOM LIFT <u>Z452510617</u> 4x4, powered by dual fuel engine, equipped with 45ft. Platform height, articulating boom, 500lb lift capacity.
107	1998 GMC 2500 PICKUP TRUCK <u>511423</u> Sierra Series, SL arrangement, gas powered, equipped with automatic transmission with overdrive, extended cab, bedliner, rear tow hitch, LT265/75R16 tires, 8,600lb. GVWR.	117	JLG 3246E2 SCISSOR LIFT <u>0200060437</u> electric powered, equipped with 32ft. Platform height, slide out deck, 500lb lift capacity.
108		118	2001 JLG 260MRT SCISSOR LIFT <u>0200096777</u> 4x4, powered by dual fuel engine, equipped with 26ft. Platform height, rough terrain tires.



INDIANAPOLIS, INDIANA CATALOG (47)

Date: **04/23/2009**

Time : **9:30 AM**

License:

Location :

Site :

Lot

+

Address: **5557 US Rt. 27 N.**

Phone : **(863) 325-5949**

City State : RICHMOND IN 47374

Fax :

04/21/2009

Lot Number	Description	Lot Number	Description
119	GENIE GS2032 SCISSOR LIFT <u>GS14386</u> electric powered, equipped with 20ft. Platform height, slide out deck, 500lb lift capacity.	129	2002 LULL 844C42 TELESCOPIC FORKLIFT <u>16393</u> 4x4, powered by diesel engine, equipped with OROPS, 8,000lb lift capacity, 42ft. Reach height.
120	TEREX TS30 SCISSOR LIFT <u>99360237</u> electric powered, equipped with 30ft. Platform height, slide out deck, 500lb lift capacity.	130	TEREX SS842 TELESCOPIC FORKLIFT <u>991791</u> 4x4, powered by diesel engine, equipped with OROPS, 8,000lb lift capacity, 42ft. Reach height, 57 hours.
121	YALE GL40 FORKLIFT <u>6180V</u> powered by LP engine, equipped with OROPS, 4,000lb lift capacity, 2 stage, trucker's mask, 48in. forks.	131	INGERSOLL RAND SD-115F VIBRATORY ROLLER <u>156304</u> Pro Pac Series, powered by Cummins diesel, equipped with hydrostatic drive, OROPS, 84in. vibratory pad foot drum, drum drive, front blade, 23.1-26 traction tires.
122	CAT 815 SOIL COMPACTOR <u>91P1357</u> powered by Cat diesel, equipped with OROPS, compaction wheels, straight blade, parts unit.	132	2003 INGERSOLL RAND SD-100F VIBRATORY ROLLER <u>168844</u> Pro Pac Series, powered by Cummins diesel, equipped with hydrostatic drive, OROPS, 84in. vibratory pad foot drum, drum drive, 23.1-26 traction tires.
123	CASE 9380 AGRICULTURAL TRACTORS <u>JEE0075361</u> Quad Trac, powered by Cummins CN14 diesel, equipped with EROPS, air, 30in. rubber track, rear tow bar, 4 rear hydraulic valves, front counterweight.	133	2002 INGERSOLL RAND SD-70D VIBRATORY ROLLER <u>166126</u> Pro Pac Series, powered by Cummins diesel, equipped with hydrostatic drive, OROPS, 66in. smooth vibratory drum, drum drive, 14.9-24 diamond tread tires, pad foot shell kit (sells separately), 2,610 hours.
124	CASE 9380 AGRICULTURAL TRACTORS <u>JEE0075156</u> Quad Trac, powered by Cummins CN14 diesel, equipped with EROPS, air, 30in. rubber track, rear tow bar, 4 rear hydraulic valves, front counterweight.	134	INGERSOLL RAND SD-70D VIBRATORY ROLLER <u>149821</u> Pro Pac Series, powered by Cummins diesel, equipped with hydrostatic drive, OROPS, 66in. smooth vibratory drum, drum drive, 14.9-24 diamond tread tires, pad foot shell kit (sells separately), 3,507 hours.
125	REYNOLDS 17CS12 PULL PAN <u>31637</u> 17 cubic yard pull scraper, front tow hitch, hydraulically operated front bale, (4) 20.5R25 tires, rear hydraulic and fitch bracket for tandem operation.	135	2003 HAMM 3205P VIBRATORY ROLLER <u>747517</u> powered by Deutz diesel, equipped with hydrostatic drive, OROPS, 54in. vibratory pad foot drum, drum drive, 12.4-24 traction tires.
126	REYNOLDS 17CS12 PULL PAN <u>31636</u> 17 cubic yard pull scraper, front tow hitch, hydraulically operated front bale, (4) 20.5R25 tires, rear hydraulic and fitch bracket for tandem operation.	136	2000 KOMATSU WB140-2 TRACTOR LOADER BACKHOE <u>11025</u> 4x4, powered by Komatsu diesel, equipped with OROPS, 3V hydraulics, MP bucket with BOCE, flip over front forks, 24in. backhoe bucket with teeth, 2 lever controls, flip pads, 19.5L-24 rear tires, 14-17.5 front tires.
127	REYNOLDS 14C PULL PAN <u>28304</u> 14 cubic yard pull scraper with hydraulic front bale, side boards, (6) 13.00-24 tires.	137	HYSTER EX30XL FORKLIFT <u>05116</u> electric powered, equipped with OROPS, 3,000lb lift capacity, 3 stage mast, sideshift, 48in. forks.
128	CAT 621 MOTOR SCRAPER <u>45P1070</u> powered by Cat 3406PC diesel engine, equipped with Canopy, cushion hitch, open bowl sweeper, rear pushblock, 29.5-29 tires.	138	LIEBHERR LR632 CRAWLER LOADER <u>393-2116</u> powered by Liebherr diesel, equipped with hydrostatic drive, EROPS, air, GP bucket, bolt on teeth with edge savers, engine enclosures, rear radiator guard, tow hook, 22in. DBG SALT undercarriage, single lever hydraulic controls.



INDIANAPOLIS, INDIANA CATALOG (47)

Date: **04/23/2009**

Time: **9:30 AM**

License:

Location:

Site:

Lot

+

Address: **5557 US Rt. 27 N.**

Phone: **(863) 325-5949**

04/21/2009

City State: RICHMOND IN 47374

Fax:

Lot Number	Description	Lot Number	Description
139	2000 JOHN DEERE 750CLGP CRAWLER TRACTOR <u>897298</u> powered by John Deere diesel, equipped with OROPS, blade, engine enclosures, 28in. SG SALT undercarriage, rear drawbar.	149	HYSTER EX30XL FORKLIFT <u>022114</u> electric powered, equipped with OROPS, 3,000lb lift capacity, 3 stage mast, sideshift, 48in. forks.
140	2000 JOHN DEERE 650HLGP CRAWLER TRACTOR <u>893284</u> powered by John Deere diesel, equipped with hydrostatic transmission, EROPS, air, 6 way blade, 24in. SG SALT undercarriage, drawbar.	150	2002 TEREX TA35 ARTICULATED HAUL TRUCKS <u>A8361014</u> 6x6, powered by Detroit diesel, equipped with EROPS, 35 ton dump body, 26.5R25 tires.
141	2000 CAT D5CLGP SERIES III CRAWLER TRACTOR <u>6CS00825</u> powered by Cat diesel, equipped with hydrostatic transmission, OROPS, sweeps, rear screen, engine enclosures, 6 way blade, 26in. SG SALT undercarriage, rear drawbar.	151	2001 TEREX TA35 ARTICULATED HAUL TRUCKS <u>A7761260</u> 6x6, powered by Detroit diesel, equipped with EROPS, 35 ton dump body, 26.5R25 tires.
142	2002 CAT D4GXL CRAWLER TRACTOR <u>CFN00519</u> powered by Cat diesel, equipped with hydrostatic transmission, OROPS, screens, sweeps, engine enclosures, 6 way blade, 18in. SG undercarriage, drawbar.	152	2000 TEREX TA30 ARTICULATED HAUL TRUCKS <u>A7751411</u> 6x6, powered by Cummins diesel, equipped with EROPS, 30 ton capacity body, 23.5R25 tires.
143	LIEBHERR PR722 CRAWLER TRACTOR <u>397-3011</u> powered by Liebherr diesel, equipped with hydrostatic transmission, EROPS, air, engine enclosures, 6 way blade, 24in. SG SALT undercarriage, rear ripper valve, multishank rear ripper with 3 ripper shanks, laser alignment attachment.	153	2000 STERLING VACUUM TRUCK <u>F13841</u> powered by Cat diesel, equipped with automatic transmission, 60,000 lb. GVWR, 20,000 lb. front axle, 40,000 lb. rears, double frame, tandem axle chassis, walking beam rear suspension, 11R22.5 rear tires, 445/65R22.5 front tires, sewage body powered by a
144	2005 KOBELCO SK330LC HYDRAULIC EXCAVATOR <u>YC07-U1140</u> powered by Mitsubishi diesel, equipped with Cab, air, reach boom, standard stick, Geith 60in. bucket with teeth, 32in. TBG pads, long undercarriage.	154	YALE GL40 FORKLIFT <u>06162V</u> powered by LP engine, equipped with OROPS, 4,000lb lift capacity, 2 stage, trucker's mask, 48in. forks.
145	JOHN DEERE 330LC HYDRAULIC EXCAVATOR <u>080425</u> powered by John Deere diesel, equipped with Cab, reach boom, standard stick, 60in. bucket with teeth, 32in. TBG, long undercarriage.	155	YALE GL40 FORKLIFT <u>04570V</u> powered by LP engine, equipped with OROPS, 4,000lb lift capacity, 2 stage, trucker's mask, 48in. forks.
146	BOBCAT 337 HYDRAULIC EXCAVATOR <u>515412333</u> powered by Kubota diesel, equipped with Cab with missing door and left side glass, swing boom, auxiliary hydraulics, 24in. bucket with teeth, blade, 16in. rubber tracks.	156	2005 KENWORTH 900 TRUCK TRACTOR <u>n/a</u> powered by Cat diesel, equipped with 10 speed transmission, day cab arrangement, single frame triaxle chassis, air ride suspension, air lift 3rd axle, aluminum headache rack, wetline kit.
147	YALE GL40 FORKLIFT <u>11575V</u> powered by LP engine, equipped with OROPS, 4,000lb lift capacity, 2 stage, trucker's mask, 48in. forks.	157	1999 MACK CH613 TRUCK TRACTOR <u>verify</u> powered by Ma diesel, 500hp, equipped with 8 speed with low and low low transmission, double frame triaxle chassis, air ride suspension, air lift 3rd axle, aluminum headache rack, wetline kit.
148	YALE GL40 FORKLIFT <u>571226</u> powered by LP engine, equipped with OROPS, 4,000lb lift capacity, 2 stage, trucker's mask, 48in. forks.	158	2004 EAGER BEAVER DETACHABLE GOOSENECK TRAILER <u>yn?</u> equipped with 55 ton capacity, airlift 3rd axle, air ride suspension, 102in. wide, outriggers, lashings, triaxle.



INDIANAPOLIS, INDIANA CATALOG (47)

Date: **04/23/2009**

Time : **9:30 AM**

License:

Location :

Site :

Lot

+

Address: **5557 US Rt. 27 N.**

Phone : **(863) 325-5949**

City State : RICHMOND IN 47374

Fax :

04/21/2009

Lot Number	Description	Lot Number	Description
159	1996 TALBERT TDW-35SA-HRG-1-21 DETACHABLE GOOSENECK TRAILER <u>014667</u> equipped with 35 ton capac 102in. wide x 21 1/2ft. well, diamond plated covered wheel wells, front and rear sloped loading ramps, air ride suspension, 255/70R22.5 tires, rear ramp brackets, outrigger brackets, lash rings, front loading ramps, tandem a		
160	1998 ALLISON ST-24-FSP DUMP TRAILER <u>008298</u> equipped with 96in. wide x 24ft. long, steel frame,, spring suspension, 11R24.5 tires, top hinged and right side combination tailgate, electric powered mountain tarp nylon tarping system, tandem axle.		